

California State University, San Bernardino

CSUSB ScholarWorks

---

Library Faculty Publications

John M. Pfau Library

---

2006

## The Life and Work of D.H. Hyers, 1913-1997

Brent D. Singleton

California State University, San Bernardino, bsinglet@csusb.edu

Follow this and additional works at: <https://scholarworks.lib.csusb.edu/library-publications>



Part of the [Mathematics Commons](#)

---

### Recommended Citation

Singleton, Brent D., "The Life and Work of D.H. Hyers, 1913-1997" (2006). *Library Faculty Publications*. 10.  
<https://scholarworks.lib.csusb.edu/library-publications/10>

This Article is brought to you for free and open access by the John M. Pfau Library at CSUSB ScholarWorks. It has been accepted for inclusion in Library Faculty Publications by an authorized administrator of CSUSB ScholarWorks. For more information, please contact [scholarworks@csusb.edu](mailto:scholarworks@csusb.edu).

# THE LIFE AND WORK OF D.H. HYERS, 1913-1997

BRENT D. SINGLETON

California State University, San Bernardino

Published in *Nonlinear Functional Analysis and Applications*, Vol. 11, No. 5, 2006, pp. 697-732.

ABSTRACT. The following is a sketch of the life and work of Donald Holmes Hyers, Professor Emeritus from the University of Southern California. The theorem put forth by Hyers in 1941 concerning linear functional equations has gained a great deal of interest over the past two decades. Hundreds of articles have been written citing his works, many of which have furthered the theorem. This paper contains a brief description of Hyers' theorem, a biographical essay and an extensive bibliography of Hyers' work and works citing the Hyers theorem or the D.H. Hyers–S.M. Ulam–Th.M. Rassias theorem or related subjects of almost the last three decades. The author of this paper is the grandson of D.H. Hyers.

## 1. The Theorem

We quote from the book of Donald H. Hyers, George Isac and Themistocles M. Rassias, *Stability of Functional Equations in Several Variables*, Birkhäuser, Boston, Basel, Berlin, 1998. S.M. Ulam in the year 1960 for very general functional equations asked the following question: “When is it true that the solution of an equation differing slightly from a given one, must of necessity be close to the solution of the given equation?” Similarly, if we replace a given functional equation by a functional inequality, when can one assert that the solutions of the inequality lie near the solutions of the strict equation? The following problem of this kind had been formulated by Ulam during a talk before a Mathematical Colloquium at the University of Wisconsin, Madison, in the year 1940. “Given a metric group  $G(., \rho)$ , a number  $\varepsilon > 0$  and a

mapping  $f : G \rightarrow G$  which satisfies the inequality  $\rho(f(x \cdot y), f(x) \cdot f(y)) < \varepsilon$  for all  $x, y$  in  $G$ , does there exist an automorphism  $a$  of  $G$  and a constant  $k > 0$ , depending only on  $G$ , such that  $\rho(a(x), f(x)) \leq k\varepsilon$  for all  $x$  in  $G$ ?"

If the answer is affirmative, we would call the equation  $a(x \cdot y) = a(x) \cdot a(y)$  of automorphism *stable*.

In trying to solve problems of this kind, most authors have considered homomorphisms between different groups or vector spaces, rather than automorphisms, for perturbations. In the year 1941, D.H. Hyers (On the stability of the linear functional equation, Proc. Nat. Acad. Sci. USA 27 (1941), 222-224) dealt with  $\varepsilon$ -additive mappings  $f : E_1 \rightarrow E_2$  between Banach spaces, i.e.  $f$  must satisfy the inequality  $\|f(x + y) - f(x) - f(y)\| < \varepsilon$  for all  $x, y$  in  $E_1$ .

D.H. Hyers had shown that there exists an additive function  $a : E_1 \rightarrow E_2$  satisfying the property  $\|a(x) - f(x)\| \leq \varepsilon$ . Thus, in this special case,  $k = 1$ . Here the Cauchy equation  $f(x + y) - f(x) - f(y) = 0$  is stable. Moreover, the relation between  $f$  and  $a$  is given by the formula

$$a(x) = \lim_{n \rightarrow \infty} \frac{f(2^n x)}{2^n}.$$

A method leading to such a formula is called a direct method.

The matter rested there until the year 1978, when Th.M. Rassias (On the stability of the linear mapping in Banach spaces, Proc. Amer. Math. Soc. 72 (1978), 297-300) considered a generalized version of Hyers' result, which permitted the Cauchy difference to become unbounded. That is, Th.M. Rassias assumed that

$$\|f(x + y) - f(x) - f(y)\| \leq (\|x\|^p + \|y\|^p) \cdot \varepsilon \quad (*)$$

---

Key words and phrases: Donald H. Hyers, Homomorphism, functional equation, Hyers-Ulam stability,

for all  $x, y$  in  $E_1$ , where  $0 \leq p < 1$ .

By using a direct method, he showed that, in this case too, there is an additive function  $a$  from  $E_1$  to  $E_2$  given by the same formula as before such that

$$\|a(x) - f(x)\| \leq k \cdot \varepsilon \cdot (\|x\|^p),$$

where  $k$  depends on  $p$  as well as  $\varepsilon$ .

This result was later extended to all  $p \neq 1$  by a number of mathematicians.

In 1990, Th.M. Rassias during the 27<sup>th</sup> International Symposium on Functional Equations asked the question whether a Hyers-Rassias stability theorem can also be proved for  $p \geq 1$ . In 1991, Z. Gajda (*On stability of additive mappings*, Internat. J. Math. and Math. Sci. 14 (1991), 431-434) following the same approach as in Th.M. Rassias's paper, published in the year 1978, provided an affirmative solution to this question for  $p > 1$ . The inequality (\*) has provided a lot of influence in the development of what is widely known today with the term *Hyers-Ulam-Rassias stability* of functional equations. Beginning around the year 1980 the topic of *approximate homomorphisms* or the *Hyers-Ulam-Rassias stability of homomorphisms*, was extensively studied by a number of mathematicians worldwide. For an extensive account in the subject the reader is referred to the following works and references cited there in:

- D.H. Hyers, *The Stability of homomorphisms and related topics*, in: Global Analysis-Analysis on Manifolds (Th.M. Rassias, ed.), Teubner, Leipzig, 1983, pp. 140-153.
- D.H. Hyers, *Polynomial operators*, in: Topics in Mathematical Analysis (Th.M. Rassias, ed.) World Scientific Publ. Co., Singapore, New Jersey, London, Hong Kong, 1989, pp. 410-444.

- D.H. Hyers and Th.M. Rassias, *Approximate homomorphisms*, Aequat. Math. 44 (1992), 125-153.
- D.H. Hyers, G. Isac and Th.M. Rassias, *Stability of Functional Equations in Several Variables*, Birkhäuser, Boston, Basel, Berlin, 1998.
- Th.M. Rassias, *On the stability of functional equations and a problem of Ulam*, Acta Appl. Math. 62 (2000), 23-130.
- Th.M. Rassias and J. Tabor, *What is left of Hyers-Ulam stability?*, Journal of Natural Geometry 1 (1992), 65-69.
- V. Faiziev, Th.M. Rassias and P.K. Sahoo, *The space of  $(\psi, \gamma)$ -additive mappings on semigroups*, Trans. Amer. Math. Soc. 354 (11) (2002), 4455-4472.
- Th.M. Rassias and J. Tabor (eds.), *Stability of Mappings of Hyers-Ulam Type*, Hadronic Press Inc., Florida, 1994.
- S.-M. Jung, *Hyers-Ulam-Rassias Stability of Functional Equations in Mathematical Analysis*, Hadronic Press Inc., Florida, 2001.
- S. Czerwik, *Functional Equations and Inequalities in Several Variables (Part II: Ulam-Hyers-Rassias Stability of Functional Equations)*, World Scientific Publ. Co., New Jersey, London, Singapore, Hong Kong, 2002.
- S. Czerwik (ed.), *Stability of Functional Equations of Ulam-Hyers-Rassias Type* (A volume dedicated to the 25 years since the publication of Th.M. Rassias's theorem), Hadronic Press, Inc., Florida, 2003.
- S.-M. Jung, *Hyers-Ulam-Rassias Stability*, Encyclopaedia of Mathematics, Supplement Vol. III, Kluwer Academic Publishers, Dordrecht, Boston, London, 2001, pp. 194-196.
- C. Park, *On the stability of the linear mapping in Banach modules*, J. Math. Anal. Appl. 275 (2002), 711-720.

During the last twenty years several results concerning the Hyers-Ulam-Rassias stability of various functional equations have been obtained, and a number of definitions of stability have been introduced. The subject has gained a lot of interest among mathematicians doing active research work in functional equations, functional analysis, algebra, topology and their various applications.

## 2. D.H. Hyers

Donald Holmes Hyers was the only child of Charles (1888-1929) and Faith Hyers (1887-1966), born on April 1, 1913 in Los Angeles, California<sup>1</sup>. His father was an engineer, his mother a freelance fiction writer and piano teacher. From an early age his mother encouraged his academic studies, resulting in advanced reading and math skills. Upon entering formal schooling the teachers decided that Hyers would skip two grades and begin in grade 3. This was somewhat traumatic for him; the already diminutive child was dwarfed by his older classmates and taunted with the moniker, "little man." Undeterred, he continued to excel academically and began pursuing his musical interests as well. He quickly established himself as an accomplished flutist, able to play several versions of the instrument.

In 1924, Hyers' father was stricken with an unknown debilitating illness. The family were practicing members of Christian Science faith and refused all modern medical attention. As his condition worsened he was unable to work, forcing his wife to seek full time employment for the first time. She was able to draw upon her many years of writing experience to procure a position as publicist for the Los Angeles Public Library.<sup>2</sup> Not long after this Hyers entered Los Angeles High School where he maintained high academic achievement despite the circumstances of his family. His father remained ill throughout the high school years until he died in 1929.

---

<sup>1</sup> Personal accounts of Hyers' life come from interviews with his daughter, Diane Kert.

<sup>2</sup> Faith Hyers remained with the Los Angeles Public Library for 23 years and became well known for writing articles in various publications and hosting a radio show in the late 1930s.

The following fall, at the age of 16, Hyers enrolled at the University of California, Los Angeles (UCLA), joining the first class to begin studies at the newly-opened Westwood campus. He was torn between majoring in music or mathematics, however, he chose mathematics, realizing that he could pursue his musical interests outside of academia. He received his AB in 1933 and his MA in 1934. Hyers then enrolled at the California Institute of Technology (CalTech) for his doctoral studies in mathematics. There he studied under Aristotle Michal for his dissertation entitled *Integrals and Functional Equations in Linear Topological Spaces*. During his time at CalTech he often publicly played the flute in a quartet. In addition, he enjoyed camping and hiking in the national parks of southern and central California.

After graduating *summa cum laude* in 1937, Hyers took a teaching position at the University of Wisconsin, Madison. The next five years had a dramatic effect on both his personal and professional life. Early on in his stay he was introduced to his future wife, Wanda Deeming (1913-1979), a physical therapist from Massachusetts. They were married in 1940 and in the fall of that same year he met his friend and future colleague, Stanislaw M. Ulam (1909-1986). Ulam held a lecture for the University's Mathematics Club, where he discussed many of the unsolved problems in mathematics.<sup>3</sup> The lecture intrigued Hyers and inspired him to tackle one of Ulam's own problems. The resulting work, *On the Stability of the Linear Functional Equation*<sup>4</sup>, partially solved Ulam's problem concerning the stability of homomorphisms. Ulam later joined the faculty at Wisconsin in 1941. In his memoirs Ulam wrote that Hyers "...had persistence in thinking about problems and an ability to continue to push the train of thought on a specific problem."<sup>5</sup>

In 1942 Hyers returned to California, settling in Pasadena where he was assigned as a research fellow in mechanical engineering at CalTech for the National Defense Research

---

<sup>3</sup> D.H. Hyers, Some recollections of Stanislaw M. Ulam, in: *Stability of Mappings of Hyers-Ulam Type* (Th.M. Rassias and J. Tabor, eds.), Hadronic Press, Palm Harbor, FL, 1994, p. 1.

<sup>4</sup> D.H. Hyers, On the stability of the linear functional equation, *Proc. Nat. Acad. Sci. USA* 27 (1941), 222–224.

Committee (NDRC). The NDRC, based in Los Alamos, New Mexico, was formed in 1940 under the direction of noted scientist, Vannevar Bush (1890-1974). Their task was "...to co-ordinate, supervise, and conduct scientific research on the problems underlying the development, production, and use of mechanisms and devices of warfare, except scientific research on the problems of flight."<sup>6</sup> Hyers worked with other mathematicians and scientists at Los Alamos, including Ulam, but never moved to New Mexico.

Soon after his return to California Hyers' first child, Richard, was born in 1943 and he accepted an associate professor position at the University of Southern California (USC) in 1944. He was quickly named head of the mathematics department the following year, a position he held until 1950. During his tenure he lured Ulam from Los Alamos for a short time in 1945-46<sup>7</sup>. In 1946 his second child, Diane, was born and the growing family moved to the Baldwin Hills section of Los Angeles. Hyers began to attend St. Paul's Presbyterian Church, eventually becoming a deacon and an elder. He had turned to Presbyterianism after the anguish and bitterness he felt concerning his father's death, having sought no attention under the precepts of Christian Science.

In 1947 Hyers was invited to join the Executive Editorial Committee of the revamped *Mathematics Magazine* with Glenn James of UCLA and his old advisor, A.D. Michal. Previously titled *National Mathematics Magazine*, the magazine had ceased publication in Nov. 1945.<sup>8</sup> Hyers remained with the magazine and often contributed to it for over 15 years. In 1951 Hyers was awarded full professorship at USC as he continued his research and publishing. By 1957

---

<sup>5</sup> S.M. Ulam, *Adventures of a Mathematician*, Charles Scribner's Sons, New York, 1976, p. 131.

<sup>6</sup> V. Bush, *Modern Arms and Free Men: A Discussion of the Role of Science in Preserving Democracy*, Simon & Schuster, New York, 1949, back matter.

<sup>7</sup> S.M. Ulam, *Adventures of a Mathematician*, Charles Scribner's Sons, New York, 1976, pp. 172-87.

<sup>8</sup> E. F. Beckenbach, *Mathematics Magazine: The first half century*, *Math. Mag.* 50 (1977), pp. vii-xxvi



Hyers had become the principal investigator for an Office of Naval Research contract awarded to USC, a position that he held for a decade.<sup>9</sup>

Having a well-established scholarly record for over two decades, Hyers continued unabated in his research and teaching at USC. In this period he became an ardent supporter of the American Civil Liberties Union and in 1965 publicly urged his colleagues to uphold the democratic principles of the *Bill of Rights*.<sup>10</sup> The second half of the decade brought dramatic changes in his personal life. He would see his children married and first grandchildren born, but it was the death of his mother in 1966 that affected him most. He was devastated by her passing and drifted into a deep depression requiring several years for recovery.

By the 1970s Hyers' teaching career was winding down and he and his wife moved to Long Beach, CA, preparing for retirement. After 34 years of service at the University of Southern California Hyers' retired with emeritus status in 1978. However, he was unable to enjoy this period because his wife of nearly 40 years was diagnosed with cancer and died in 1979. In order to fight off depression Hyers became active in many organizations, including his church and the USC Retired Faculty Association. In addition, he continued his involvement in the American Mathematical Society, the Mathematical Association of America, the Society for Industrial and Applied Mathematics, Phi Beta Kappa, Sigma Xi, the Caltech Alumni Association, and the USC President's Circle.<sup>11</sup>

In the early 1980s Hyers began an annual tradition of visiting Eugene, Oregon for the Oregon Bach Festival. On one of these occasions he met Roberta Spicer, a widow from Eugene and they married in the fall of 1988. During this same period Hyers began working with Dr. Themistocles M. Rassias of Athens, Greece and his interest in research was rekindled. Hyers wrote to Rassias in 1997 stating: "Themistocles, I thank you from the bottom of my heart for all

---

<sup>9</sup> *Who's Who in Technology* (Louann Chaudier ,ed.), Research Publications, Woodbridge, Conn., 1986, vol. 5, p. 294.

<sup>10</sup> Mathematician Donald Holmes Hyers Dies at 84, *University of Southern California Chronicle*, May 19, 1997, p. 7.

your work and support...I may say that I have enjoyed a real stimulus to continue to do mathematics because of your correspondence including the many new problems you asked me about."<sup>12</sup> He began publishing more often, co-editing and co-authoring several books and articles with Themistocles M. Rassias and George Isac in the mid-1990s. In March of 1997 Hyers was hospitalized when he became suddenly ill with complications from leukemia. Within a few weeks he died on April 13 at the age of 84. He was survived by his two children, four grandchildren and two great grandchildren.

### 3. Works by Donald H. Hyers

D.H. Hyers, G. Isac and Th. M. Rassias, *Stability of Functional Equations in Several Variables*, Birkhäuser, Boston, 1998.

D.H. Hyers, G. Isac and Th. M. Rassias, On the asymptoticity aspect of Hyers–Ulam stability of mappings, *Proc. Amer. Math. Soc.* 126 (1998), 425-430.

D.H. Hyers, G. Isac and Th. M. Rassias, *Topics in Nonlinear Analysis & Applications*, World Scientific, River Edge, NJ, 1997.

D.H. Hyers, Some recollections of Stanislaw M. Ulam, in: *Stability of Mappings of Hyers-Ulam Type* (Th.M. Rassias and J. Tabor, eds.), Hadronic Press Inc., Palm Harbor, FL, 1994, p. 1.

D.H. Hyers and Th. M. Rassias, Approximate homomorphisms, *Aequat. Math.* 44 (1992), 125-153.

D.H. Hyers, Polynomial operators, in: *Topics in Mathematical Analysis* (Th.M. Rassias, ed.), World Scientific, Teaneck, NJ, 1989, pp. 410-444.

D.H. Hyers, Stability of minimum points for problems with constraints, in: *Differential Geometry, Calculus of Variations, and Their Applications* (G.M. Rassias and Th.M. Rassias, eds), Dekker, New York, 1985, pp. 283-289.

D.H. Hyers, The stability of homomorphisms and related topics, In: *Global Analysis-Analysis on Manifolds* (Th. M. Rassias, ed.), B.G. Teubner, 1983, pp. 140-153.

D.H. Hyers, A note on Fréchet's definition of "polynômes abstraits", *Houston J. Math.* 4 (1978), 359-362.

D.H. Hyers, On the stability of minimum points, *J. Math. Anal. Appl.* 62 (1978), 530-537.

---

<sup>11</sup> Ibid.

<sup>12</sup> D. H. Hyers, to Th. M. Rassias, 11 March, 1997, Personal files of Th. M. Rassias, Athens, Greece.

- D.H. Hyers, Stability of minimum points – preliminary report, Notices Amer. Math. Soc. 23 (1976), A461.
- D.H. Hyers, Note on Frechets Definition of Polynomial Operators, Notices Amer. Math. Soc. 22 (1975), A197.
- D.H. Hyers, Eigenvalue problem for symmetric homogeneous polynomial operators, Notices Amer. Math. Soc. 21 (1974), A193-4.
- D.H. Hyers, On the stability of stationary points, J. Math. Anal. Appl. 36 (1971), 622-626.
- D.H. Hyers, Integral equations for nonlinear problems in partial differential equations, in: Nonlinear Partial Differential Equations: A Symposium on Methods of Solution (W. F. Ames, ed.), Academic Press, New York, 1967, pp. 125-140.
- D.H. Hyers, Some nonlinear integral equations of hydrodynamics, in: Nonlinear Integral Equations (P.M. Anselone, ed.), Univ. Wisconsin Press, Madison, 1964, pp. 319-344.
- D.H. Hyers and W.T. Kyner, The existence of symmetric steady flows near critical speed, Arch. Rational Mech. Anal. 14 (1963), 264-282.
- D.H. Hyers, Transformations with bounded  $m$ th differences, Pacific J. Math. 11 (1961), 591-602.
- D.H. Hyers, S.I.M.N.T. (in Teaching of Mathematics), Math. Mag. 32 (1959), 203-206.
- D.H. Hyers and J. A. Ferling, On the local uniqueness problem for periodic surface waves of permanent type in a channel of infinite depth, Math. Mag. 31 (1957), 61-74.
- A.D. Michal and D.H. Hyers, Solutions of differential equations as analytic functionals of the coefficient functions, Acta Math. 91 (1954), 75-86.
- D.H. Hyers and S.M. Ulam, On the stability of differential expressions, Math. Mag. 28 (1954), 59-64.
- K.O. Friedrichs and D.H. Hyers, The existence of solitary waves, Bull. Amer. Math. Soc. 60 (1954), 394-395.
- K.O. Friedrichs and D.H. Hyers, The existence of solitary waves, Comm. Pure Appl. Math. 7 (1954), 517-550.
- D.H. Hyers, Aristotle D. Michal, 1899-1953, Math. Mag. 27 (1954), 237-244.
- D.H. Hyers and S.M. Ulam, Approximately convex functions, Proc. Amer. Math. Soc. 3 (1952), 821-828.
- D.H. Hyers and S.M. Ulam, Approximately convex functions, Bull. Amer. Math. Soc. 57 (1951), 300-301.
- D.H. Hyers, Elementary Differential Equations (in Teaching of Mathematics), Math. Mag. 23 (1950), 193-204.

D.H. Hyers and S.M. Ulam, Approximate isometries of the space of continuous functions, *Ann. Math.* 48 (1947), 285-289.

D.H. Hyers and S.M. Ulam, On approximate isometries, *Bull. Amer. Math. Soc.* 51 (1945), 288-292.

D.H. Hyers, Linear topological spaces, *Bull. Amer. Math. Soc.* 51, (1945), 1-21.

D.H. Hyers, A generalization of Fréchet's differential, *Revista Ci. (Lima)* 47, (1945), 645-663.

D.H. Hyers, On the stability of the linear functional equation, *Proc. Nat. Acad. Sci.* 27 (1941), 222-224.

D.H. Hyers, A generalization of Fréchet's differential, *Proc. Nat. Acad. Sci.* 27 (1941), 315-316.

A.D. Michal and D.H. Hyers, General differential geometries with coordinate interspace inner product, *Tôhoku Math. J.* 46 (1940), 309-318.

D.H. Hyers, Locally bounded linear topological spaces, *Revista Ci. (Lima)* 41 (1939), 555-574.

D.H. Hyers, Pseudo-normed linear spaces and abelian groups, *Duke Math. J.* 5 (1939), 628-634.

A.D. Michal and D.H. Hyers, Second order differential equations with two point boundary conditions in general analysis, *Amer. J. Math.* 58 (1936), 646-660.

#### **4. Works from 1975-2004 Citing the Hyers Theorem or the D.H. Hyers–S.M. Ulam– Th.M. Rassias Theorem or Related Subjects**

R.P. Agarwal, B. Xu and W. Zhang, Stability of functional equations in single variable, *J. Math. Anal. Appl.* 288 (2003), 852-869.

P. Alestalo, D.A. Trotsenko and J. Väisälä, Isometric approximation, *Israel J. Math.* 125 (2001), 61-82.

J.R. Alexander, C.E. Blair and L.A. Rubel, Approximate versions of Cauchy's functional equation, *Illinois J. Math.* 39 (1995), 278-287.

C. Alsina and E. Trillas, On almost distributive Łukasiewicz triplets, *Fuzzy Sets and Syst.* 50 (1992), 175-178.

C. Badea, C. Cottin and H.H.Gonska, Bögel functions, tensor products and blending approximation, *Math. Nachr.* 173 (1995), 25-48.

C. Badea, On the Hyers-Ulam stability of mappings; the direct method, In *Stability of Mappings of Hyers-Ulam type* (Th.M. Rassias and J. Tabor, eds.), Hadronic Press Inc., Palm harbor, FL (1994), pp. 7-13.

- R. Badora, R. Ger and Z. Páles, Additive selections and the stability of the Cauchy functional equation, *Anziam J.* 44 (2003), 323-337.
- R. Badora, On approximate ring homomorphisms, *J. Math. Anal. Appl.* 276 (2002), 589-597.
- R. Badora, On Hyers-Ulam stability of Wilson's functional equation, *Aequat. Math.* 60 (2000), 211-218.
- R. Badora, On some Generalized invariant-means and almost approximately additive-functions, *Publ. Math. Debrecen* 44 (1994), 123-135.
- R. Badora, On some generalized invariant means and their application to the stability of the Hyers-Ulam type, *Ann. Polon. Math.* 58 (1993), 147-159.
- J.-H. Bae and W.-G. Park, On the generalized Hyers–Ulam–Rassias stability in Banach modules over a  $C^*$ -algebra, *J. Math. Anal. Appl.* 294 (2004), 196-205.
- J.-H. Bae and W.-G. Park, On the Hyers-Ulam stability of a quadratic mapping in Banach modules, *J. Appl. Math. & Comp.* 12 (2003), 351-358.
- J.-H. Bae, K.-W. Jun and S.-M. Jung, On the stability of a quadratic functional equation, *Kyungpook Math. J.* 43 (2003), 415-423.
- J.-H. Bae and Y.-S. Jung, The Hyers-Ulam stability of the quadratic functional equations on abelian groups, *Bull. Korean Math. Soc.* 39 (2002), 199-209.
- J.-H. Bae and H.-M. Kim, On the generalized Hyers-Ulam stability of a quadratic mapping, *Far East J. Math. Sci.* 3 (2001), 599-608.
- J.-H. Bae and K.-W. Jun, On the generalized Hyers-Ulam-Rassias stability of a quadratic functional equation, *Bull. Korean Math. Soc.* 38 (2001), 325-336.
- J.-H. Bae and K.-W. Jun, On the generalized Hyers–Ulam–Rassias stability of an n-dimensional quadratic functional equation, *J. Math. Anal. Appl.* 258, 183-193.
- J. Baker, The stability of certain functional-equations, *Proc. Amer. Math. Soc.* 112 (1991), 729-732.
- J. Baker, J. Lawrence and F. Zorzitto, The stability of the equation  $f(x + y) = f(x)f(y)$ , *Proc. Amer. Math. Soc.* 74 (1979), 242-246.
- J.A. Baker, The stability of the cosine equation, *Proc. Amer. Math. Soc.* 80 (1980), 411-416.
- B. Batko, Z. Kominek and J. Tabor, Generalized norms and convexity, *Publ. Math. Debrecen* 60 (2002), 63-73.
- E. Behrends and K. Nikodem, A selection theorem of Helly type and its applications, *Studia Math.* 116 (1995), 43-48.
- R. Bhatia and P. Šemrl, Approximate Isometries on Euclidean Spaces. *Amer. Math. Monthly* 104 (1997), 497-504.

- J. L. Bona and Y. A. Li, Decay and analyticity of solitary waves, *J. Math. Pures Appl.* 76 (1997), 377-430.
- D.-H. Boo, S.-Q. Oh, C.-G. Park and J.-M. Park, Generalized Jensen's equations in Banach modules over a  $C^*$ -algebra and its unitary group, *Taiwanese J. Math.* 7 (2003), 641-655.
- C. Borelli, On Hyers-Ulam stability for a class of functional equations, *Aequat. Math.* 54 (1997), 74-86.
- C. Borelli and G.L. Forti, On a general Hyers-Ulam stability result, *Internat. J. Math. Sci.* 18 (1995), 229-236.
- C. Borelli, On Hyers-Ulam stability of Hosszú's functional equation. *Results Math.* 26 (1994), 221-224.
- B. Bouikhalene, On Hyers-Ulam stability of generalized Wilson's equation. *J. Inequal. Pure Appl. Math.* 5 (2004), article 100.
- D.G. Bourgin, Two dimensional  $\varepsilon$ -isometries, *Trans. Amer. Math. Soc.* 244 (1978), 85-102.
- R.D. Bourgin, Approximate isometries on finite dimensional Banach-spaces, *Trans. Amer. Math. Soc.* 207 (1975), 309-328.
- Y.A. Brudnyi and N.J. Kalton, Polynomial approximation on convex subsets of  $\mathbb{R}^n$ , *Constr. Approx.* 16 (2000), 161-199.
- D. Brydak, Iterative stability of the Böttcher equation, In: *Stability of Mappings of Hyers-Ulam Type* (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., Palm Harbor, FL (1994), pp. 15-18.
- J. Brzdek and J. Tabor, Stability of the Cauchy congruence on restricted domain, *Arch. Math. (Basel)* 82 (2004), 546-550.
- J. Brzdek, A note on stability of additive mappings, In: *Stability of Mappings of Hyers-Ulam Type* (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., Palm Harbor, FL (1994), pp. 19-22.
- J. Brzdek and A. Grabiec, Remarks to the Cauchy difference, In: *Stability of Mappings of Hyers-Ulam Type* (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., Palm Harbor, FL (1994), pp. 23-30.
- A. Carbone and P.P. Zabreiko, Explicit and implicit complementarity problems in a Hilbert space, *Z. Anal. Anwendungen* 22 (2003), 33-42.
- A. Carbone and P.P. Zabreiko, Some remarks on complementarity problems in a Hilbert space. *Z. Anal. Anwendungen* 21 (2002), 1005-1014.
- E. Casini and P.L. Papini, A counterexample to the infinity version of the Hyers and Ulam stability theorem, *Proc. Amer. Math. Soc.* 118 (1993), 885-890.
- J.M.F. Castillo and Y.M. Salguero, Strictly singular quasi-linear maps, *Nonlinear Anal.* 49 (2002), 897-903.

- D. Cenger, The stability problem: new results and counterexamples, *Lett. Math. Phys.* 10 (1985), 155-160.
- D. Cenger, The stability problem for transformations of the circle, *Proc. Roy. Soc. Edinburgh Sect. A* 84 (1979), 279-281.
- I.-S. Chang and Y.-S. Jung, Stability of a functional equation deriving from cubic and quadratic functions, *J. Math. Anal. Appl.* 283 (2003), 491-500.
- I.-S. Chang, E.H. Lee, and H.-M. Kim, On Hyers-Ulam-Rassias stability of a quadratic functional equation, *Math. Inequal. Appl.* 6 (2003), 87-95.
- I.-S. Chang and H.-M. Kim, Hyers-Ulam-Rassias stability of a quadratic functional equation, *Kyungpook Math. J.* 42 (2002), 71-86.
- I.-S. Chang and H.-M. Kim, On the Hyers-Ulam stability of quadratic functional equations, *J. Inequal. Pure Appl. Math.* 3 (2002), 1-12.
- G.Y. Chen, On the stability of perturbations of optimal control problems, *J. Math. Anal. Appl.* 97 (1983), 46-55.
- J. Chmieliński, On a singular case in the Hyers-Ulam-Rassias stability of the Wigner equation, *J. Math. Anal. Appl.* 289 (2004), 571-583.
- J. Chmieliński and S.-M. Jung, The stability of the Wigner equation on a restricted domain, *J. Math. Anal. Appl.* 254 (2001), 309-320.
- J. Chmieliński, On the Hyers-Ulam stability of the generalized orthogonality equation in real Hilbert spaces, In: *Stability of Mappings of Hyers-Ulam Type* (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., Palm Harbor, FL (1994), pp. 31-41.
- J. Chmieliński, On the stability of the generalized orthogonality equation, In: *Stability of Mappings of Hyers-Ulam Type* (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., Palm Harbor, FL (1994), pp. 43-57.
- P.W. Cholewa, The stability problem for a generalized Cauchy type functional equation, *Rev. Roumaine Math. Pures Appl.* 29 (1984), 457-460.
- P.W. Cholewa, The Stability of the Sine Equation, *Proc. Amer. Math. Soc.* 88 (1983), 631-634.
- J. Chung, S.-Y. Chung and D. Kim, The stability of Cauchy equations in the space of Schwartz distributions, *J. Math. Anal. Appl.* 295 (2004), 107-114.
- J. Chung, Hyers-Ulam-Rassias stability of Cauchy equation in the space of Schwartz distributions, *J. Math. Anal. Appl.* 300 (2004), 343-350.
- J. Chung, Stability of functional equations in the spaces of distributions and hyperfunctions, *J. Math. Anal. Appl.* 286 (2003), 177-186.
- J.K. Chung, S.-M. Jung and P.K. Sahoo, On a functional equation on groups, *J. Korean Math. Soc.* 38 (2001) 37-47

- K. Ciesielski and Th.M. Rassias, On some properties of isometric mappings, *Facta Univ. Ser. Math. Inform.* 7 (1992), 107-115.
- M.G. Cojocaru and L.B. Jonker, Existence of solutions to projected differential equations in Hilbert spaces, *Proc. Amer. Math. Soc.* 132 (2004), 183-193.
- M. Czerni, On some relation between the Shanholt and the Hyers-Ulam types of stability of the nonlinear functional equation, in: *Stability of Mappings of Hyers-Ulam Type* (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., Palm Harbor, FL (1994), pp. 59-65.
- M. Czerni, Stability of normal regions for nonlinear functional equation of iterative type, in: *Stability of Mappings of Hyers-Ulam Type* (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., Palm Harbor, FL (1994), pp. 67-79.
- S. Czerwik and K. Dłutek, Stability of the quadratic functional equation in Lipschitz spaces, *J. Math. Anal. Appl.* 293 (2004), 79-88.
- S. Czerwik, The stability of the quadratic functional equation, in: *Stability of Mappings of Hyers-Ulam Type* (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., Palm Harbor, FL (1994), pp. 81-91.
- S. Czerwik, On the stability of the quadratic mapping in normed spaces, *Abh. Math. Sem. Univ. Hamburg* 62 (1992), 59-64.
- A.P. da Costa and J.A.C. Martins, A numerical study on multiple rate solutions and onset of directional instability in quasi-static frictional contact problem, *Comput. Struct.* 82 (2004), 1485-1494.
- A.P. da Costa and J.A.C. Martins, The evolution and rate problems and the computation of all possible evolutions in quasi-static frictional contact, *Comput. Methods Appl. Mech. Engrg.* 192 (2003), 2791-2821.
- A. Daniilidis and P. Georgiev, Approximate convexity and submonotonicity, *J. Math. Anal. Appl.* 291 (2004), 292-301.
- M. Das, T. Riedel and P.K. Sahoo, Hyers-Ulam stability of Flett's points, *Appl. Math. Lett.* 16 (2003), 269-271.
- S. Dayal and S. Jain, A converse of Taylor's theorem on locally convex linear spaces, *Indian J. Pure Appl. Math.* 16 (1985), 476-485.
- J. Dhombres, Quelques aspects de l'histoire des équations fonctionnelles liés à l'évolution du concept de fonction, *Arch. Hist. Exact Sci.* 36 (1986), 91-181.
- S.J. Dilworth, R. Howard and J.W. Roberts, Extremal approximately convex functions and the best constants in a theorem of Hyers and Ulam, *Adv. Math.* 172 (2002), 1-14.
- S.J. Dilworth, R. Howard and J.W. Roberts, On the size of approximately convex sets in normed spaces, *Studia Math.* 140 (2000), 213-241.



- S.J. Dilworth, R. Howard and J.W. Roberts, Extremal approximately convex functions and estimating the size of convex hulls, *Adv. Math.* 148 (1999), 1-43.
- S.J. Dilworth, Approximate isometries on finite-dimensional normed spaces, *Bull. London Math. Soc.* 31 (1999), 471-476.
- G.G. Ding, On perturbations and extensions of isometric operators, *Taiwanese J. Math.* (2001), 109-115.
- G.G. Ding, The approximation problem of almost isometric operators by isometric operators, *Acta Math. Sci.* 8 (1988), 361-372.
- G. Dolinar, Approximately multiplicative functions, *Publ. Math. Debrecen* 58 (2001), 735-742.
- G. Dolinar, Generalized stability of isometries, *J. Math. Anal. Appl.* 242 (2000), 39-56.
- H. B. Domecq, Vector-valued invariant means revisited, *J. Math. Anal. Appl.* 275 (2002), 512-520.
- P.D.T.A. Ellioitt, On the correlation of multiplicative and the sum of additive arithmetic functions, *Mem. Amer. Math. Soc.* 112 (1994), 88.
- P.D.T.A. Ellioitt, Additive arithmetic functions on intervals, *Math. Proc. Cambridge Philos. Soc.*, 103 (1988), 163-179.
- P.D.T.A. Ellioitt, A localized Erdős-Wintner theorem, *Pacific J. Math* 135 (1988), 287-297.
- P.D.T.A. Ellioitt, Cauchy's functional equation in the mean, *Adv. in Math.* 51 (1984), 253-257.
- E. Elqorachi and M. Akkouchi, On Hyers-Ulam stability of Cauchy and Wilson equations, *Georgian Math.* 11 (2004), 69-82.
- F. Ergün, S.R. Kumar and R. Rubinfeld, Checking approximate computations of polynomials and functional equations, *SIAM J. Comput.* 31 (2001), 550-576.
- V. Faiziev and P.K. Sahoo, On the space of pseudojensen functions groups. *St. Peterburg Math. J.*, 14 (2003), 1043-1065.
- V. Faiziev and P.K. Sahoo, Pseudocharacters and the problem of expressibility for some groups, *J. Algebra*, 250 (2002), 603-637.
- V. Faiziev, Th.M. Rassias and P.K. Sahoo, The space of  $(\psi, \gamma)$  - additive mappings on semigroups, *Trans. Amer. Math Soc.* 354 (2002), 4455-4472.
- V. Faiziev, On almost representations of groups, *Proc. Amer. Math. Soc.* 127 (1999), 57-61.
- V.A. Faiziev, On the stability of the Jensen equation on groups, *Dokl. Akad. Nauk.* 65 (2002), 280-281.

- V.A. Faiziev, Description of pseudocharacters' space on free product of groups, *Math. Inequal. Appl.* 3 (2000), 269-293.
- V.A. Faiziev, Pseudocharacters of a free group which are invariant under the group of substitution automorphisms, *Siberian Math. J.* 40 (1999), 1188-1198.
- V.A. Faiziev, Pseudocharacters on free semigroups invariant with respect to their automorphism groups, *Proc. Amer. Math. Soc.* 126 (1998), 333-342.
- V.A. Faiziev, Pseudocharacters on free products of groups, *Russian J. Math. Phys.* 5 (1997), 3-8.
- V.A. Faiziev, Pseudocharacters on free groups, *Russian Acad. Sci. Izv. Math.* 44 (1995), 119-414.
- V.A. Faiziev, On the stability of a functional equation on groups, *Russian Math. Surveys* 48 (1993), 165-166.
- V.A. Faiziev, Pseudocharacters of the group  $SL(2, \mathbb{Z})$ , *Funt. Anal. Appl.* 26 (1992), 293-295.
- V.A. Faiziev, Spaces of pseudocharacters of the free product of semigroups, *Math. Notes* 52 (1992), 1255-1264.
- I. Farah, Approximate homomorphisms, *Combinatorica* 18 (1998), 335-348.
- G. Fenyő, Osservazioni su alcuni teoremi di D.H. Hyers, *Istit. Lombardo Accad. Sci. Lett. Rend. A* 114 (1982), 235-242.
- J.W. Fickett, Approximate isometries on bounded sets with an application to measure theory, *Studia Math.* 72 (1982), 37-46.
- L.C. Florescu, Pseudouniform structures and weak compactness on  $L^1$ , *Boll. Un. Mat. Ital. A* 3 (1989), 87-94.
- G.L. Forti, Comments on the core of the direct method for proving Hyers–Ulam stability of functional equations, *J. Math. Anal. Appl.* 295 (2004), 127-133.
- G.L. Forti, Hyers-Ulam stability of functional equations in several variables, *Aequationes Math.* 50 (1995), 143-190.
- G.L. Forti, The stability of homomorphisms and amenability, with applications to functional equations, *Abh. Math. Sem. Univ. Hamburg* 57 (1987), 215-226.
- G. Friesecke and R.L. Pego, Solitary waves on FPU lattices. I. Qualitative properties, renormalization and continuum limit, *Nonlinearity* 12 (1999), 1601-1627.
- Z. Gajda, On separation theorems for subadditive and superadditive functionals, *Studia Math.* 100 (1991), 25-38.
- Z. Gajda and R. Ger, Subadditive multifunctions and Hyers–Ulam stability. In: *General Inequalities 5* (W. Walter, ed.), Birkhäuser, Basel, 1987, pp. 281-291.

- G.N. Galanis, On a type of linear differential equations in Fréchet spaces, *Ann. Scuola Norm. Sup. Pisa Cl. Sci.* 24 (1997), 501-510.
- P. Găvrută, On the Hyers-Ulam-Rassias stability of the quadratic mappings, *Nonlinear Funct. Anal. Appl.* 9 (2004), 415-428.
- P. Găvrută, On a problem of G. Isac and Th. M. Rassias concerning the stability of mappings, *J. Math. Anal. Appl.* 261 (2001), 543-553.
- P. Găvrută, Hyers-Ulam stability of Hosszú's equation, in: *Functional Equations and Inequalities* (Th.M. Rassias, ed.), Kluwer, Boston, 2000, pp. 105-110.
- P. Găvrută, On the Hyers-Ulam-Rassias stability of mappings, in: *Recent Progress in Inequalities* (G.V. Milovanović, ed.), Kluwer, Boston, 1998, pp. 465-469.
- P. Găvrută, A generalization of the Hyers–Ulam–Rassias stability of approximately additive mappings, *J. Math. Anal. Appl.* 184 (1994), 431-436.
- P. Găvrută, On the stability of some functional equations, in: *Stability of Mappings of Hyers-Ulam Type* (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., Palm Harbor, FL (1994), pp. 93-98.
- R. Ger and P. Volkmann, On sums of linear and bounded mappings, *Abh. Math. Sem. Univ. Hamburg* 68 (1998), 103-108.
- J. Gevirtz, Stability of Isometries on Banach Spaces, *Proc. Amer. Math. Soc.* 89 (1983), 633-636.
- E. Giorgieri and M. Väth, A characterization of 0-epi maps with a degree, *J. Funct. Anal.* 187 (2001), 183-199.
- A. Gilányi, K. Nikodem and Z. Páles, Bernstein-Doetsch type results for quasiconvex functions, *Math. Inequal. Appl.* 7 (2004), 169-175.
- A. Gilányi, On a problem by K. Nikodem, *Math. Ineq. & Appl.* 5 (2002), 707-710.
- A. Gilányi, On the stability of monomial functional equations, *Publ. Math. Debrecen* 56 (2000), 201-212.
- A. Gilányi, Hyers-Ulam stability of monomial functional equations on a general domain, *Proc. Natl. Acad. Sci. USA* 96 (1999), 10588-10590.
- A. Gilányi, On Hyers-Ulam stability of monomial functional equations, *Math. Sem. Univ. Hamburg.* (1998), 321-328.
- A. Grabiec, The generalized Hyers–Ulam stability of a class of functional equations, *Publ. Math. Debrecen* 48 (1996), 217-235.
- P.M. Gruber, Stability of Isometries, *Trans. Amer. Math. Soc.* 245 (1978), 263-277.

- H.K. Gwang, On the Hyers–Ulam–Rassias stability of functional equations in  $n$ -variables, *J. Math. Anal. Appl.* 299 (2004), 375-391.
- H. Haruki and Th.M. Rassias, A new functional equation of Pexider type related to the complex exponential function, *Trans. Amer. Math. Soc.* 347 (1995), 3111-3119.
- O. Hatori, K. Kobayashi, T. Miura, H. Takagi and S.-E. Takahashi, On the best constant of Hyers-Ulam stability, *J. Nonlinear Convex Anal.* 5 (2004), 387-393.
- A. Háy, and Z. Páles, On approximately midconvex functions, *Bull. London Math. Soc.* 36 (2004), 339-350.
- T. Huuskonen and J. Väisälä, Hyers-Ulam constants of Hilbert spaces, *Studia Math.* 153 (2002), 31-40.
- G. Isac and A.O. Bahya, Full nuclear cones associated to a normal cone. Application to Pareto efficiency, *Appl. Math. Lett.* 15 (2002), 633-639.
- G. Isac and V.V. Kalashnikov, Exceptional family of elements, Leray-Schauder alternative, pseudomonotone operators and complementarity, *J. Optim. Theory Appl.* 109 (2001), 69-83.
- G. Isac and Y.B. Zhao, Exceptional family of elements and the solvability of variational inequalities for unbounded sets in infinite dimensional Hilbert spaces, *J. Math. Anal. Appl.* 246, 544-556.
- G. Isac and Th.M. Rassias, Functional inequalities for approximately additive mappings, : in *Stability of Mappings of Hyers-Ulam Type* (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., Palm Harbor, FL, 1994, pp. 117-125.
- G. Isac and Th.M. Rassias, On the Hyers–Ulam stability of  $\psi$ -additive mappings, *J. Approx. Theory* 72 (1993), 131-137.
- N.V. Ivanov, Automorphism of complexes of curves and of Teichmüller spaces, *Internat. Math. Res. Notices* 14 (1997), 651-666.
- W. Jian, Some further generalizations of the Hyers–Ulam–Rassias stability of functional equations, *J. Math. Anal. Appl.* 263 (2001), 406-423.
- K.-W. Jun, H.-M. Kim and D.O. Lee, On the Hyers-Ulam-Rassias stability of a modified additive and quadratic functional equation, *J. Korea Soc. Math. Educ. Ser. B Pure Appl. Math.* 11 (2004), 323-335.
- K.-W. Jun and H.-M. Kim, Solution of Hyers–Ulam stability problem for generalized Pappus' equation, *J. Math. Anal. Appl.* 299 (2004), 100-112.
- K.-W. Jun and Y.-H. Lee, A generalization of the Hyers–Ulam–Rassias stability of the Pexiderized quadratic equations, *J. Math. Anal. Appl.* 297 (2004), 70-86.
- K.-W. Jun, S.-M. Jung and Y.-H. Lee, A generalization of the Hyers-Ulam-Rassias stability of a functional equation of Davison, *J. Korean Math. Soc.* 41 (2004), 501-511.

- K.-W. Jun, J.-H. Bae and Y.-H. Lee, On the Hyers-Ulam-Rassias stability of an n-dimensional Pexiderized quadratic equation, *Math. Inequal. Appl.* 7 (2004), 63-77.
- K.-W. Jun and H.-M. Kim, On the Hyers-Ulam-Rassias stability of a general cubic functional equation, *Math. Ineq. & Appl.* 6 (2003), 289-302.
- K.-W. Jun and H.-M. Kim, The generalized Hyers-Ulam-Rassias stability of a cubic functional equation, *J. Math. Anal. Appl.* 274 (2002), 867-878.
- K.-W. Jun and Y.-H. Lee, On the Hyers-Ulam-Rassias stability of a pexiderized quadratic inequality, *Math. Ineq. & Appl.* 4 (2001), 93-118.
- K.-W. Jun and Y.-H. Lee, On the Hyers-Ulam-Rassias stability of a generalized quadratic equation, *Bull. Korean Math. Soc.* 38 (2001), 261-272.
- K.-W. Jun and Y.-H. Lee, A generalization of the Hyers-Ulam-Rassias stability of Pexider equation, *J. Math. Anal. Appl.* 246 (2000), 627-638.
- K.-W. Jun, D.-S. Shin, and B.-D. Kim, On Hyers-Ulam-Rassias stability of the Pexider equation, *J. Math. Anal. Appl.* 239 (1999), 20-29.
- S.-M. Jung and P.K. Sahoo, Stability of a functional equation that arises in the theory of conditionally specified distributions, *Kyungpook Math. J.* 44 (2004), 111-116.
- S.-M. Jung and P.K. Sahoo, Superstability of the generalized orthogonality equation on restricted domains, *Proc. Indian Acad. Sci. Math. Sci.* 114 (2004), 253-267.
- S.-M. Jung, Hyers-Ulam stability of linear differential equations of first order, *Appl. Math. Lett.* 17 (2004), 1135-1140.
- S.-M. Jung and J.-H. Bae, Some functional equations originating from number theory, *Proc. Indian Acad. Sci. Math. Sci.* 113 (2003), 91-98.
- S.-M. Jung and J.-H. Bae, Local stability of the additive functional equation and its application, *Int. J. Math. Math. Sci.* 1 (2003), 15-26.
- S.-M. Jung, Hyers-Ulam stability of Butler-Rassias functional equation, *Math. Ineq. & Appl.* (to appear)
- S.-M. Jung, Local stability of the additive functional equation, *Glas. Mat. Ser. III* 38(58) (2003), 45-55.
- S.-M. Jung, Hyers-Ulam-Rassias stability of functional equations in connection with classical inequalities, *Nonlinear Funct. Anal. Appl.* 8 (2003), 123-164.
- S.-M. Jung, Asymptotic properties of isometries, *J. Math. Anal. Appl.* 276 (2002), 642-653.
- S.-M. Jung and P.K. Sahoo, Stability of a functional equation of Drygas, *Aequationes Math.* 64 (2002), 263-273.

S.-M. Jung and P.K. Sahoo, Stability of a functional equation for square root spirals, *Appl. Math. Lett.* 15 (2002), 435-438.

S.-M. Jung and P.K. Sahoo, On the stability of the Pompeiu functional equation, *Math. Inequal. Appl.* 5 (2002), 257-261.

S.-M. Jung and P.K. Sahoo, Hyers-Ulam stability of a generalized Hosszú functional equation, *Glas. Mat. Ser. III* 37 (2002), 283-292.

S.-M. Jung, Hyers-Ulam-Rassias Stability of Functional Equations in Mathematical Analysis, Hadronic Inc., Palm Harbor FL, 2001.

S.-M. Jung, On the stability of a multiplicative functional equation, *J. Math. Anal. Appl.* 254 (2001), 247-261.

S.-M. Jung and P.K. Sahoo, Hyers-Ulam stability of the quadratic equation of Pexider type, *J. Korean Math. Soc.* 38 (2001), 645-656.

S.-M. Jung, Hyers-Ulam-Rassias stability of isometries on restricted domains, *Nonlinear Stud.* 8 (2001), 125-134.

S.-M. Jung, Stability of the orthogonality equation on bounded domains, *Nonlinear Anal.* 47 (2001), 2655-2666.

S.-M. Jung and P.K. Sahoo, A functional equation characterizing cubic polynomials and its stability, *Int. J. Math. Math. Sci.* 27 (2001), 301-307.

S.-M. Jung, Stability of the quadratic equation of Pexider type, *Abh. Math. Sem. Univ. Hamburg.* 70 (2000), 175-190.

S.-M. Jung and P.K. Sahoo, On the Hyers-Ulam stability of a functional equation of Davison, *Kyungpook Math. J.* 40 (2000), 87-92.

S.-M. Jung and P.K. Sahoo, On the stability of a mean value type functional equation, *Demonstratio Math.* 33 (2000), 793-796.

S.-M. Jung and K.-S. Lee, Stability of generalized additive Cauchy equations, *Int. J. Math. Math. Sci.* 24 (2000), 721-727.

S.-M. Jung and B. Kim, On the stability of the quadratic functional equation on bounded domains, *Abh. Math. Sem. Univ. Hamburg.* 69 (1999), 293-308.

S.-M. Jung, On the Hyers-Ulam stability of a quadratic functional equation, in: *New Approaches in Nonlinear Analysis* (Th.M. Rassias, ed.), Hadronic Press Inc., Palm harbor, FL, 1999, pp. 125-132.

S.-M. Jung and P.K. Sahoo, Hyers-Ulam-Rassias stability of an equation of Davison, *J. Math. Anal. Appl.* 238 (1999), 297-304.

S.-M. Jung, On the stability of the Lobačevskii equation, *Funct. Differ. Equ.* 6 (1999), 111-123.

- S.-M. Jung, On the Hyers-Ulam-Rassias stability of a quadratic functional equation, J. Math. Anal. Appl. 232 (1999), 384-393.
- S.-M. Jung, On the Hyers-Ulam stability of the functional equations that have the quadratic property, J. Math. Anal. Appl. 222 (1998), 126-137.
- S.-M. Jung, Hyers-Ulam-Rassias stability of functional equations in approximation theory, in: Approximation Theory and Applications (Th.M. Rassias, ed.), Hadronic Press Inc., Palm Harbor, FL, 1998, pp. 113-136.
- S.-M. Jung, On a modified Hyers-Ulam stability of homogeneous equation, Int. J. Math. Math. Sci. 21 (1998), 475-478.
- S.-M. Jung, Hyers-Ulam-Rassias stability of Jensen's equation and its application, Proc. Amer. Math. Soc. 126 (1998), 3137-3143.
- S.-M. Jung, On modified Hyers-Ulam-Rassias stability of a generalized Cauchy functional equation, Nonlinear Stud. 5 (1998), 59-67.
- S.-M. Jung, On a general Hyers-Ulam stability of gamma functional equation, Bull. Korean Math. Soc. 34 (1997), 437-446.
- S.-M. Jung, On solution and stability of functional equation  $f(x+y)^2 = af(x)f(y) + bf(x)^2 + cf(y)^2$ , Bull. Korean Math. Soc. 34 (1997), 561-571.
- S.-M. Jung, On the superstability of the functional equation, Abh. Math. Univ. Hamburg 67 (1997), 315-322.
- S.-M. Jung, On the modified Hyers-Ulam-Rassias stability of the functional equation for gamma function, Mathematica (cluj). 39 (1997), 233-237.
- S.-M. Jung, Hyers-Ulam-Rassias stability of functional equations, Dynam. Systems Appl. 6 (1997), 541-566.
- S.-M. Jung, On the Hyers-Ulam-Rassias stability of approximately additive mappings, J. Math. Anal. Appl. 204 (1996), 221-226.
- S.-M. Jung, On the Hyers-Ulam-Rassias Stability of the Equation  $f(x^2 - y^2 + rxy) = f(x^2) - f(y^2) + rf(xy)$ , Bull. Korean Math. Soc. 33 (1996), 513-519.
- Y.-S. Jung, On the stability of the functional equation  $f(x+y-xy)+xf(y)+yf(x)=f(x)+f(y)$ , Math. Inequal. Appl. 7 (2004), 79-85.
- Y.-S. Jung and K.-H. Park, On the stability of the functional equation  $f(x+y+xy) = f(x)+f(y)+xf(y)+yf(x)$ , J. Math. Anal. Appl. 274 (2002), 659-666.
- Z. Kaiser, On stability of the Cauchy equation in normed spaces over fields with valuation, Publ. Math. Debrecen 64 (2004), 189-200.
- V.V. Kalashnikov and G. Isac, Solvability of implicit complementarity problems, Ann. Oper. Res. 116 (2002), 199-221.

J.-H. Kang, C.-J. Lee and Y.-H. Lee, A note on the Hyers-Ulam-Rassias stability of a quadratic equation, Bull. Korean Math. Soc. 41 (2004), 541-557.

V. Kanovei and M. Reeken, On Baire measurable homomorphisms of quotients of the additive group of the reals, MLQ Math. Log. Q. 46 (2000), 377-384.

G. Keady and J. Norbury, On the existence theory for irrotational water waves, Math. Proc. Cambridge Philos. Soc. 83 (1978), 137-157.

G.-H. Kim, On the Hyers-Ulam-Rassias stability of functional equations in  $n$ -variables, J. Math. Anal. Appl. 299 (2004), 375-391.

G.-H. Kim, On the stability of homogenous functional equations with degree  $t$  and  $n$ -variables. Math. Ineq. & Appl. 6 (2003), 675-688.

G.-H. Kim, Y.W. Lee and K.S. Ji, Modified Hyers-Ulam-Rassias stability of functional equations with square-symmetric operation, Commun. Korean Math. Soc. 16 (2001), 211-223.

G.-H. Kim, A generalization of the Hyers-Ulam-Rassias stability of the beta functional equation, Publ. Math. Debrecen 59 (2001), 111-119.

G.-H. Kim, On the stability of functional equations with square-symmetric operation. Math. Ineq. & Appl. 4 (2001), 257-266.

G.-H. Kim, The stability of generalized Gamma functional equation, Nonlinear Stud. 1 (2000), 92-96.

G.-H. Kim, Hyers-Ulam stability of generalized Gamma Functional Equation, Pacific Sci. Rev. 2 (2000), 92-96.

G.-H. Kim, On the modified Hyers-Ulam-Rassias stability of the equation  $f(x^2 - y^2 + rxy) = f(x^2) - f(y^2) + rf(xy)$ , J. Chungcheong Math. Soc. 10 (1997), 109-116.

H.-M. Kim, Hyers-Ulam stability of some difference equations and its applications, Dynam. Systems Appl. 11 (2002), 269-276.

H.-M. Kim, A result concerning the stability of some difference equations and its applications, Proc. Indian Acad. Sci. Math. Sci. 112 (2002), 453-462.

Y.-H. Kim, On the Hyers-Ulam-Rassias stability of an equation of Davison, Indian J. Pure Appl. Math. 33 (2002), 713-726.

M. Kiwi, F. Magniez and M. Santha, Approximate testing with error relative to input size, J. Comput. System Sci. 66 (2003), 371-392.

Z. Kominek, On Hyers-Ulam stability of the Pexider equation, Demonstratio Math. 37 (2004), 373-376.

D.-O. Lee, Hyers-Ulam stability of an additive type functional equation, J. Appl. Math. Comput. 13 (2003), 471-477.



- J.-R. Lee and D.-Y. Shin, On the Cauchy–Rassias stability of the Trif functional equation in  $C^*$ -algebras, *J. Math. Anal. Appl.* 296 (2004), 351-363.
- S.H. Lee and K.-W. Jun, Hyers-Ulam-Rassias stability of a quadratic type functional equation. *Bull. Korean Math. Soc.* 40 (2003), 183-193.
- S.H. Lee and C.-G. Park, Hyers-Ulam-Rassias stability of a functional equation in three variables, *J. Chungcheong Math. Soc.* 16 (2003), 11-21.
- Y.-H. Lee and K.-W. Jun, A note on the Hyers-Ulam-Rassias stability of Pexider equation, *J. Korean Math. Soc.* 37 (2000), 111-124.
- Y.-H. Lee and K.-W. Jun, A generalization of the Hyers–Ulam–Rassias stability of the Pexider equation, *J. Math. Anal. Appl.* 246 (2000), 627–638.
- Y.-H. Lee and K.-W. Jun, On the stability of approximately additive mappings, *Proc. Amer. Math. Soc.* 128 (2000), 1361-1369.
- Y.-H. Lee and K.-W. Jun, A generalization of the Hyers–Ulam–Rassias stability of Jensen's equation, *J. Math. Anal. Appl.* 238 (1999), 305-315.
- Y. W. Lee and B.M. Choi, The stability of Cauchy's gamma–beta functional equation, *J. Math. Anal. Appl.* 299 (2004), 305-313.
- Y. W. Lee and B.M. Choi, On the Hyers-Ulam-Rassias stability of the functional equation with a quadratic Jensen type property, *Nonlinear Funct. Anal. Appl.* 9 (2004), 605-618.
- Y. W. Lee, On the stability of a quadratic Jensen type functional equation, *J. Math. Anal. Appl.* 270 (2002), 590-601.
- Y.-W. Lee and S.-H. Park, On the Hyers-Ulam-Rassias stability of a quadratic functional equation, *Korean J. Comput. Appl. Math. Ser. A* 9 (2002), 371-380.
- L. Li, J. Chung and D. Kim, Stability of Jensen equations in the space of generalized functions, *J. Math. Anal. Appl.* 299 (2004), 578-586.
- J. Lindenstrauss and A. Szankowski, Nonlinear perturbations of isometries, *Astérisque* 131 (1983), 357-371.
- T. Marchant and R.D. Luce, Technical note on the joint receipt of quantities of a single good, *J. Math. Psych.* 47 (2003), 66-74.
- R.D. Mauldin and S.M. Ulam, Mathematical problems and games, *Adv. in Appl. Math.* 8 (1987), 281-344.
- T. Miura, S.-M. Jung and S.-E. Takahasi, Hyers-Ulam-Rassias stability of the Banach space valued linear differential equations  $y' = \lambda y$ , *J. Korean Math. Soc.* 41 (2004), 995-1005.
- T. Miura, G. Hirasawa and S.-E. Takahasi, Stability of multipliers on Banach algebras, *Int. J. Math. Math. Sci.* 45-48 (2004), 2377-2381.

- T. Miura, G. Hirasawa and S.-E. Takahasi, Ger-type and Hyers-Ulam stabilities for the first-order linear differential operators of entire functions, *Int. J. Math. Math. Sci.* 21-24 (2004), 1151-1158.
- T. Miura, S. Miyajima and S.-E. Takahasi, A characterization of Hyers-Ulam stability of first order linear differential operators, *J. Math. Anal. Appl.* 286 (2003), 136-146.
- T. Miura, S. Miyajima and S.-E. Takahasi, Hyers-Ulam stability of linear differential operator with constant coefficients, *Math. Nach.* 258 (2003), 90-96.
- T. Miura, On the Hyers-Ulam stability of a differentiable map, *Sci. Math. Japan* 55 (2002) 17-24.
- T. Miura, S.-E. Takahasi and H. Choda, On the Hyers-Ulam stability of real continuous function valued differentiable map. *Tokyo J. Math.* 24 (2001), 467-476.
- T. Miura, S.-E. Takahasi and H. Choda, On Hyers-Ulam stability of differentiable mapping that take the value of real continuous functions, *S<sup>-</sup> urikaiseikikenky<sup>-</sup> usho K<sup>-</sup> oky<sup>-</sup> uroku* 1136 (2000), 124-132.
- G.H. Moore, The axiomization of linear algebra 1875-1940, *Hist. Math.* 22 (1995), 262-303.
- G.A. Munoz, Y. Sarantopoulos and A. Tonge, Complexifications of real Banach spaces, polynomials and multilinear maps, *Studia Math.* 134 (1999), 1-33.
- C. T. Ng and K. Nikodem, On Approximately Convex Functions, *Proc. Amer. Math. Soc.* 118 (1993), 103-108.
- K. Nikodem and S.Z. Wasowicz, A sandwich theorem and Hyers-Ulam stability of affine functions, *Aequationes Math.* 49 (1995), 160-164.
- M.A. Noor, Multivalued quasi variational inclusions and implicit resolvent equations, *Nonlinear Anal.*, 48 (2002), 159-174.
- M.A. Noor and Th.M. Rassias, Projection methods for monotone variational inequalities, *J. Math. Anal. Appl.* 237 (1999), 405-412.
- M.A. Noor, Set-valued mixed quasi-variational inequalities and implicit resolvent equations, *Math. Comp. Modelling* 29 (1999), 1-11.
- M.A. Noor, Generalized multivalued quasi-variational inequalities (II), *Comput. Math. Appl.* 35 (1998), 63-78.
- S.-Q. Oh and C.-G. Park, Linear functional equations in Hilbert module, *Taiwanese J. Math.* 7 (2003), 441-448.
- M. Omladič and P. Šemrl, On nonlinear perturbations of isometries, *Math. Ann.* 303 (1995), 617-628.
- Z. Páles, On approximately convex functions, *Proc. Amer. Math. Soc.* 131 (2003), 243-252.
- Z. Páles, Hyers-Ulam stability of the Cauchy functional equation on square-symmetric groupoids, *Publ. Math. Debrecen* 58 (2001), 651-666.

- Z. Páles, P. Volkman and R.D. Luce, Hyers-Ulam stability of functional equations with a square-symmetric operation, Proc. Natl. Acad. Sci. USA 95, 12772-12775.
- C. Park, J. Park, and J. Shin, Hyers-Ulam-Rassias stability of quadratic functional equations in Banach modules over a  $C^*$ -algebra, Chinese Ann. Math. Ser. B 24 (2003), 261-266.
- C.-G. Park, Multilinear mappings in Banach modules over a  $C^*$ -algebra, Indian J. Pure Appl. Math. 35 (2004), 183-192.
- C.-G. Park, Universal Jensen's Equations in Banach Modules over a  $C^*$ -Algebra and Its Unitary Group, Acta Math. Sin. 20 (2004), 1047-1056.
- C.-G. Park, Stability of linear functional equations in Banach modules, Tamkang J. Math 35 (2004), 29-36.
- C.-G. Park, Hyers-Ulam-Rassias stability of an even functional equation in four variables, Kyungpook Math. J. 44 (2004), 299-304.
- C.-G. Park, Lie  $*$ -homomorphisms between Lie  $C^*$ -algebras and Lie  $*$ -derivations on Lie  $C^*$ -algebras, J. Math. Anal. Appl. 293 (2004), 419-434.
- C.-G. Park, On the Hyers–Ulam–Rassias stability of generalized quadratic mappings in Banach modules, J. Math. Anal. Appl. 291 (2004), 214-223.
- C.-G. Park, On an approximate automorphism on a  $C^*$ -algebra, Proc. Amer. Math. Soc. 132 (2004), 1739-1745.
- C.-G. Park, Measuring dimensions of manufacturing flexibility, Nonlinear Anal. 57 (2004), 713-722.
- C.-G. Park, Stability of linear operators in a Hilbert module, Soochow J. Math. 29 (2003), 283-291.
- C.-G. Park, Modified Trif's functional equations in Banach modules over a  $C^*$ -algebra and approximate algebra homomorphisms, J. Math. Anal. Appl. 278 (2003), 93-108.
- C.-G. Park, Linear functional equations in Banach modules over a  $C^*$ -algebra, Acta Appl. Math. 77 (2003), 125-161.
- C.-G. Park and H.-J. Wee, Linear mappings, quadratic mappings and cubic mappings in normed spaces, J. Korea Soc. Math. Educ. Ser. B: Pure Appl. Math. 10 (2003), 185-192.
- C.-G. Park and W.-G. Park, On the stability of the Jensen's equation in a Hilbert module, Bull. Korean Math. Soc. 40 (2003), 53-61.
- C.-G. Park, On the stability of the quadratic mapping in Banach modules, J. Math. Anal. Appl. 276, (2002), 135-144.
- C.-G. Park, On the stability of the linear mapping in Banach modules, J. Math. Anal. Appl. 275 (2002), 711-720.

- C.-G. Park, Functional equations in Banach modules, *Indian J. Pure Appl. Math.* 33 (2002), 1077-1086.
- C.-G. Park and J.-K. Shin, Generalized Jensen's equations in Banach modules, *Indian J. Pure Appl. Math.* 33 (2002), 1867-1875.
- C.-G. Park and W.-G. Park, On the Jensen's equation in Banach modules, *Taiwanese J. Math.* 6 (2002), 523-532.
- C.-G. Park and H.-J. Wee, Linear operators in Banach modules over a  $C^*$ -algebra and its unitary group, *J. Chungcheong Math. Soc.* 15 (2002), 53-60.
- C.-G. Park and W.-G. Park, On the Hyers-Ulam-Rassias stability of the Jensen's equation in Banach modules, *J. Chungcheong Math. Soc.* 14 (2001), 48-57.
- C.-G. Park and W.-G. Park, On the stability of the Jensen's functional equation in Banach modules, *J. Chungcheong Math. Soc.* 14 (2001), 15-19.
- C.-G. Park, On the stability of the linear mapping in Banach modules, *J. Math. Anal. Appl.* 275 (2000), 711-720.
- K.-H. Park and Y.-S. Jung, Stability of a cubic functional equation on groups, *Bull. Korean Math. Soc.* 41 (2004), 347-357.
- K.-H. Park, G.-H. Kim, and Y.-W. Lee, Hyers-Ulam stability of homogeneous functional equations, *Korean J. Comput. Appl. Math. Ser. A* 8 (2001), 569-580.
- D. Popa, Functional inclusions on square-symmetric groupoids and Hyers-Ulam stability, *Math. Inequal. Appl.* 7 (2004), 419-428.
- D. Popa, Hyers-Ulam-Rassias stability of the general linear equation, *Nonlinear Funct. Anal. Appl.* 7 (2002), 581-588.
- A. Prástaro and Th. M. Rassias, Ulam stability in geometry of PDE's, *Nonlinear Func. Anal. & Appl.* 8 (2003), 259-278.
- A. Prástaro and Th. M. Rassias, A geometric approach of the generalized of d' Alembert equation, *J. Comput. Appl. Math.* 113 (2000), 93-122.
- A. Prástaro and Th. M. Rassias, A geometric approach to a noncommutative generalized d' Alembert equation, *C. R. Acad. Sci. Paris Sér. I Math.* 330 (2000), 545-550.
- A. Prástaro and Th. M. Rassias, On the set of solutions of the generalized d' Alembert equation, *C. R. Acad. Sci. Paris Sér. I Math.* 328 (1999), 389-394.
- A. Prástaro and Th. M. Rassias, A geometric approach to an equation of J. D' Alembert, *Proc. Amer. Math. Soc.* 123 (1995), 1597-1606.
- S. Qian,  $\varepsilon$ -isometric embeddings, *Proc. Amer. Math. Soc.* 123 (1995), 1797-1803.

- J.M. Rassias, Asymptotic behavior of mixed type functional equations, *Aust. J. Math. Anal. Appl.* 1 (2004), article 10.
- J.M. Rassias and M.J. Rassias, On the Ulam stability of Jensen and Jensen type mappings on restricted domains, *J. Math. Anal. Appl.* 281 (2003), 516-524.
- J.M. Rassias, On the Hyers-Ulam stability problem for quadratic multi-dimensional mappings, *Aequat. Math.* 64 (2002), 62-69.
- J.M. Rassias, On the Hyers-Ulam stability problem for quadratic multi-dimensional mappings on the Gaussian plane, *Southeast Asian Bull. Math.* 26 (2002), 483-502.
- J.M. Rassias, On the Ulam stability of mixed type mappings on restricted domains, *J. Math. Anal. Appl.* 276 (2002), 747-762.
- J.M. Rassias, Solution of a quadratic stability Hyers-Ulam type problem, *Ricerche Mat.* 50 (2001), 9-17.
- J.M. Rassias, Hyers-Ulam stability for a quadratic functional equation in several variables, *J. Indian Math. Soc. (N.S.)* 68 (2001), 65-73.
- J.M. Rassias and M.J. Rassias, On the Hyers-Ulam stability of quadratic mappings, *J. Indian Math. Soc. (N.S.)* 67 (2000), 133-136.
- J.M. Rassias, Solution of the Ulam stability problem for Euler-Lagrange quadratic mappings, *J. Math. Anal. Appl.* 220, 613-639.
- J.M. Rassias, On the stability of the Euler-Lagrange functional equation, *C.R. Acad. Bulgare Sci.* 45 (1992), 17-20.
- J.M. Rassias, Solution of a problem of Ulam, *J. Approx. Theory* 57 (1989), 268-273.
- M. Th. Rassias, Solution of a functional equation problem of Steven Butler, *Octagon Math. Mag.* 12 (2004), 152-153.
- Th.M. Rassias and P. Wagner, Volume preserving mappings in the spirit of the Mazur-Ulam theorem, *Aequat. Math.* 66 (2003), 85-89.
- Th.M. Rassias and S. Xiang, On the stability of approximate isometries, *Tamsui Oxf. J. Math. Sci.* 18 (2002), 45-56.
- Th.M. Rassias and S. Saitoh, The Pythagorean theorem and linear mappings, *Panamer. Math. J.* 12 (2002), 1-10.
- Th.M. Rassias, A new generalization of a theorem of Jung for the orthogonality equation, *Appl. Anal.* 81 (2002), 163-177.
- Th.M. Rassias, Isometries and approximate isometries, *Int. J. Math. Math. Sci.* 25 (2001), 73-91.

- Th.M. Rassias, On the A.D. Aleksandrov problem of conservative distances and the Mazur-Ulam theorem. *Nonlinear Anal.* 47 (2001), 2597-2608.
- Th.M. Rassias and S. Xiang, On approximate isometries in Banach spaces, *Nonlinear Func. Anal. & Appl.* 6 (2001), 291-300.
- Th.M. Rassias and S. Xiang, On mappings with conservative distances and the Mazur-Ulam theorem, *Publ. Elektroteh. Fak. Univ. Beogr. Ser. Mat.* 11 (2000), 1-8.
- Th.M. Rassias and S. Xiang, On Mazur-Ulam theorem and mappings which preserve distances, *Nonlinear Func. Anal. & Appl.* 5 (2000), 61-66.
- Th.M. Rassias, The problem of S. M Ulam for approximately multiplicative mappings, *J. Math. Anal. Appl.* (2000) 246, 352-378.
- Th.M. Rassias, On Hille's functional equations, Robinson's functional equation and related functional equations, *Panamer. Math. J.* 10 (2000), 83-98.
- Th.M. Rassias, On the stability of functional equations in Banach spaces, *J. Math. Anal. Appl.* 251 (2000), 264-284.
- Th.M. Rassias, On the stability of functional equations and a problem of Ulam, *Acta Appl. Math.* 62 (2000), 23-130.
- Th.M. Rassias, Properties of isometric mappings, *J. Math. Anal. Appl.* 235 (1999), 108-121.
- Th.M. Rassias, *New Approaches in Nonlinear Analysis*, Hadronic Press Inc., Florida, 1999.
- Th.M. Rassias and K. Shibata, Variational problem of some quadratic functionals in complex analysis, *J. Math. Anal. Appl.* 228 (1998), 234-253.
- Th.M. Rassias, Properties of isometries and approximate isometries, in: *Recent Progress in Inequalities*, Kluwer, 1998, pp. 341-379.
- Th.M. Rassias, *Nonlinear Mathematical Analysis and Applications*, Hadronic Press Inc., Florida, 1998.
- Th.M. Rassias, *Approximation Theory and Applications*, Hadronic Press Inc., Florida, 1998.
- Th.M. Rassias, Properties of isometries and approximate isometries, in: *Recent Progress in Inequalities*, Kluwer Academic Publishers, Dordrecht, 1998, pp. 341-379.
- Th.M. Rassias, *Inner Product Spaces and Applications*, Addison Wesley Longman, Pitman Research Notes in Mathematics Series, No. 376, 1997.
- Th.M. Rassias and J. Šimša, *Finite Sums Decompositions in Mathematical Analysis*, John Wiley & Sons, 1995.
- Th.M. Rassias and J. Tabor, *Stability of Mappings of Hyers–Ulam Type*, Hadronic Press Inc., Palm Harbor, FL, 1994.

- Th.M. Rassias and J. Tabor, On approximately additive mappings in Banach spaces, in: *Stability of Mappings of Hyers-Ulam Type*. (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., Palm Harbor, FL, 1994, pp. 127-134.
- Th.M. Rassias and P. Šemrl, On the Hyers–Ulam stability of linear mappings, *J. Math. Anal. Appl.* 173 (1993), 325–338.
- Th.M. Rassias and P. Šemrl, On the Mazur-Ulam theorem and the Aleksandrov problem for unit distance preserving mappings, *Proc. Amer. Math. Soc.* 118 (1993), 919-925.
- Th.M. Rassias and J. Tabor, What is left of Hyers–Ulam stability?, *J. Natur. Geom.* 1 (1992), 65-69.
- Th.M. Rassias and P. Šemrl, On the the behavior of mappings which does not satisfy Hyers–Ulam stability, *Proc. Amer. Math. Soc.* 114 (1992), 989-993.
- Th.M. Rassias, On a modified Hyers-Ulam sequence, *J. Math. Anal. Appl.* 158 (1991), 106-113.
- Th.M. Rassias, Seven problems in mathematical analysis, in: *Topics in Mathematical Analysis*, World Scientific Publ. Co., Singapore, 1989, pp. 965-973.
- Th.M. Rassias, On the stability mappings, *Rend. Sem. Mat. Fis. Milano* 58 (1988), 91-99.
- Th.M. Rassias, Research problems on nonlinear equations, in: *Nonlinear Analysis*, World Scientific Publ. Co., Singapore, 1989, pp. 545-557.
- Th.M. Rassias, *Topics in Mathematical Analysis. A volume dedicated to the memory of A.L. Cauchy*, World Scientific Pub. Co., Singapore, 1989.
- Th.M. Rassias, The stability of linear mappings and some problems on isometries, in: *Proceedings of the International Conference on Mathematical Analysis and its Applications*, Kuwait 1985, Pergamon Press, Oxford, 1988, pp. 175-184.
- Th.M. Rassias, *Nonlinear Analysis*, World Scientific Publ. Co., Singapore, 1987.
- Th.M. Rassias, *Global Analysis-Analysis on Manifolds. Dedicated to Marston Morse, 1892-1976*, Teuber-Texte zur Mathematik, Band 57, Leipzig, 1983.
- Th.M. Rassias, On the Stability of the Linear Mapping in Banach Spaces, *Proc. Amer. Math. Soc.* 72 (1978), 297-300.
- I.Z. Ruzsa, On the concentration of additive functions, *Acta Math. Acad. Sci. Hungar.* 36 (1980), 215-232.
- P.K. Sahoo, Hyers-Ulam stability of an Abel functional equation, in: *Stability of Functional Equations of Ulam-Hyers-Rassias Type* (Stefan Czerwik, ed.), Hadronic Press Inc., Palm Harbor, FL, 2003, 143-149.
- F.C. Sánchez, Quasi-additive mappings, *J. Math. Anal. Appl.* 290 (2004), 263-270.

- F.C. Sánchez, The singular case in the stability of additive functions, *J. Math. Anal. Appl.* 268 (2002), 498-516.
- F.C. Sánchez, Nearly convex functions, perturbations of norms and K-spaces, *Proc. Amer. Math. Soc.* 129 (2001), 753-758.
- F.C. Sánchez, Stability of additive mappings on large subsets, *Proc. Amer. Math. Soc.* 128 (2000), 1071-1077.
- P. Santucci and M. Väth, On the definition of eigenvalues for nonlinear operators, *Nonlinear Anal.*, 40 (2000), 565-576.
- G. Schneider and C.E. Wayne, The long-wave limit for the water wave problem. I. The case of zero surface tension. *Comm. Pure Appl. Math* 53 (2000), 1475-1535.
- P. Šemrl and J. Väisälä, Nonsurjective nearisometries of Banach spaces, *J. Funct. Anal.* 198 (2003), 268-278.
- P. Šemrl, Hyers-Ulam stability of isometries on Banach spaces. *Aequat. Math.* 58 (1999), 157-162.
- P. Šemrl, Hyers-Ulam stability of isometries, *Houston J. Math.* 24 (1998), 699-706.
- P. Šemrl, Approximately linear functionals on Hilbert spaces, *J. Math. Anal. Appl.* 226 (1998), 466-472.
- P. Šemrl, The functional equation of multiplicative derivation is superstable on standard operator algebras, *Integral Equations and Oper. Theory* 18 (1994), 118-122.
- P. Šemrl, The stability of approximately additive functions, in: *Stability of Mappings of Hyers-Ulam Type.* (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., FL, 1994, pp. 135-140.
- A.I. Shtern, A criterion for the second real continuous bounded cohomology of a locally compact group to be finite-dimensional, *Acta Appl. Math* 68 (2001), 105-121.
- A.I. Shtern, Quasirepresentations and pseudorepresentations, *Funct. Anal. Appl.* 25 (1991), 140-143.
- E.V. Shulman, Group representations and stability of functional equations, *J. London Math. Soc.* (2) 54 (1996), 111-120.
- F. Skof, On the stability of functional equations on a restricted domain and a related topic, in: *Stability of Mappings of Hyers-Ulam type.* (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., FL, 1994, pp 141-151.
- W. Song, Characterizations of some remarkable classes of cones, *J. Math. Anal. Appl.* 279 (2003), 308-316.
- M. Studniarski and A.W.A Taha, Stability properties of weak sharp minima, *Control Cybern.* 32 (2003), 351-359.



- L. Székelyhidi, Monomial selections of set-valued maps, *Aequat. Math.* 58 (1999), 214-222.
- L. Székelyhidi, Frechet's equation and Hyers theorem on noncommutative semigroup, *Annal. Pol. Math.* XLVIII (1998), 183-189.
- L. Székelyhidi, On a characterization of linear operators, *Acta Math. Hungar.* 71 (1996), 293-295.
- L. Székelyhidi, Stability properties of functional equations in several variables, *Publ. Math. Debrecen* 47 (1995), 95-100.
- L. Székelyhidi, On a characterization of linear operators, in: *Stability of Mappings of Hyers-Ulam Type.* (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., FL, 1994, pp. 153-156.
- L. Székelyhidi, The stability of homogeneous functions, *J. Univ. Kuwait* 20 (1993), 159-162.
- L. Székelyhidi, Stability properties of functional equations describing the scientific laws, *J. Math. Anal. Appl.* 150 (1990), 151-158.
- L. Székelyhidi, The stability of the sine and cosine functional equations, *Proc. Amer. Math. Soc.* 110 (1990), 109-115.
- L. Székelyhidi, An abstract superstability theorem, *Abh. Math. Sem. Univ. Hamburg* 59 (1989), 81-83.
- L. Székelyhidi, Stability of some functional equations in economics, *Rend. Sem. Mat. Fis. Milano* 58 (1988), 164-176.
- L. Székelyhidi, Fréchet's equation and Hyers theorem on noncommutative semigroups, *Ann. Polon. Math.* 48 (1988), 183-189.
- L. Székelyhidi, Remarks on Hyers's theorem, *Publ. Math. Debrecen* 34 (1987), 131-135.
- L. Székelyhidi, Note on Hyer's theorem. *C.R. Math. Rep. Acad. Sci. Canada* 8 (1986), 127-129.
- L. Székelyhidi, The stability of d'Alembert-type functional equations, *Acta Sci. Math.* 44 (1982), 313-320.
- J. Tabor and J. Tabor, On the sets of exact and approximate solutions, *J. Math. Anal. Appl.* 285 (2003), 528-536.
- J. Tabor, Ideally convex sets and Hyers theorem, *Funkcial. Ekvac.* 43 (2000), 121-125.
- J. Tabor, A general stability result in the class of Lipschitz functions, *Publ. Math. Debrecen* 55 (1999), 385-394.
- J. Tabor, On approximately linear mappings, in: *Stability of Mappings of Hyers-Ulam Type.* (Th. M. Rassias and J. Tabor, eds.), Hadronic Press Inc., FL, 1994, pp. 157-163.
- H. Takagi, T. Miura and S.-E. Takahasi, The Hyers-Ulam stability of a weighted composition operator on a uniform algebra, *J. Nonlinear Convex Anal.* 5 (2004), 43-48.

- S.-E. Takahasi, H. Takagi, T. Miura, S. Miyajima, The Hyers-Ulam stability constants of first order linear differential operators, *J. Math Anal. & Appl.* 296 (2004), 403-409.
- S.-E. Takahasi, T. Miura, and S. Miyajima, On the Hyers-Ulam stability of the Banach space-valued differential equation  $y' = \lambda y$ , *Bull. Korean Math. Soc.* 39 (2002), 309-315.
- B.S. Tam, A cone-theoretic approach to the spectral theory of positive linear operators: The finite-dimensional case, *Taiwanese J. Math.* 5 (2001), 207-277.
- T. Trif, Hyers-Ulam-Rassias stability of a quadratic functional equation, *Bull. Korean Math. Soc.* 40 (2003), 253-267.
- T. Trif, On the superstability of certain functional equations, *Demonstratio Math.* 35 (2002), 813-820.
- T. Trif, On the stability of a functional equation deriving from an inequality of Popoviciu for convex functions, *J. Math. Anal. Appl.* 272 (2002), 604-616.
- T. Trif, A generalization of the Hyers–Ulam–Rassias stability of the Popoviciu functional equation, *Nonlinear Funct. Anal. Appl.* 7 (2002), 45–54.
- T. Trif, On the stability of a general gamma-type functional equation, *Publ. Math. Debrecen* 60 (2002), 47-61.
- T. Trif, Hyers-Ulam-Rassias stability of a Jensen type functional equation, *J. Math. Anal. Appl.* 250 (2000), 579–588.
- J. Väisälä, Isometric approximation property in Euclidean spaces, *Israel J. Math.* 128 (2002), 1-27.
- J.S. Ume and Y.-H. Kim, Some mean values related to the quasi-arithmetic mean, *J. Math. Anal. Appl.* 252 (2000), 167-176.
- M. Väth, Coepi maps and generalizations of the Hopf extension theorem, *Topo. Appl.* 131 (2003), 79-99.
- M. Väth, Coincidence points of function pairs based on compactness properties, *Glasg. Math. J.* 44 (2002), 209-230.
- M. Väth, The Furi-Martelli-Vignoli spectrum vs. the phantom, *Nonlinear Anal.* 47 (2001), 2237-2248.
- M. Väth, On the connection of degree theory and 0-epi maps, *J. Math. Anal. Appl.* 257 (2001), 223-237.
- I.A. Vestfrid, Almost surjective epsilon-isometries of Banach spaces, *Colloq. Math.* 100 (2004), 17-22.
- J. Wang, On the generalizations of the Hyers-Ulam-Rassias stability of Cauchy equations, *Acta Anal. Funct. Appl.* 4 (2002), 294-300.

A. Weinstein, Almost invariant submanifolds for compact group actions, J. Eur. Math. Soc. 2 (2000), 53-86.

J. Wang, Some further generalizations of the Hyers-Ulam-Rassias stability of functional equations, J. Math. Anal. Appl. 263 (2001), 406-423.

S. Wu, Well-posedness in Sobolev spaces of the full water wave problem in 2-D, Invent. Math. 130 (1997), 39-72.

S.H. Xiang, Mappings of conservative distances and the Mazur-Ulam theorem, J. Math. Anal. Appl. 254 (2001), 262-274.

B. Xu and W. Zhang, Hyers-Ulam stability for a nonlinear iterative equation, Colloq. Math. 93 (2002), 1-9.

C.-H. Yan and J.-X. Fang, Locally bounded L-topological vector spaces, Info. Sci. 159 (2004), 273-281

D. Yang, The stability of the quadratic functional equation on amenable groups, J. Math. Anal. Appl. 291 (2004), 666-672.

### **Acknowledgements**

My most heartfelt gratitude is extended to Dr. Themistocles M. Rassias for his patience and kindness in assisting me in brining this paper to publication. As well, his friendship with my grandfather and kind words about him were much appreciated.

I would also like to thank Dr. Stefan Czerwik, Dr. Wang Jian, Dr. Soon-Mo Jung, Dr. Chun-Gil Park, Dr. Prasanna Sahoo, Dr. László Székelyhidi, and Dr. Tiberiu Trif, all of who graciously shared their manuscripts with me. As well, thanks to Dr. Nadia Dyakevich and Bonnie Petry for their assistance in editing the manuscript.

Brent D. Singleton  
Pfau Library  
California State University, San Bernardino  
5500 University Parkway  
San Bernardino, CA 92407  
bsinglet@csusb.edu